

Innovative haemodialysis paraphernalia for new biodegradable ecological ecofriendly recyclable environmental green and sustainable dialysis systems

V Rama Raju^{1*}, Dabbeta Anji Reddy²

¹Professor ²Professor of CSE & HOD & Dean, ¹ECSE and Biomedical Engineering, and Principal Investigator, ¹Dept. of Computer Science & Engineering¹, CMR College of Engineering & Technology, CMR Institute of Medical Sciences, Kandlakoya, Hyderabad, Telangana, ²Dept. of Computer Science & Engineering Vageshwari Engineering College (VEC), Karimnagar, Telangana, India

***Corresponding Author: V Rama Raju**

Email: drvrr@cmrcet.org

Abstract

Health care as a whole and dialysis care in certain are conducive to source utilization and, therefore, hold and happen and turn up with a significant eco-friendly conservational and ecological trajectory. Dialysis is a therapeutic procedure for diseased conditions for saving their life however it implies and necessitates the application of a wide-range of consumables generating-waste, depletion of water (H₂O) plus strength and energy too for the dialysis procedural-activity, i.e., method. Many participants in the health care industries and medical management are asked upon to develop and to take measures for saving the resources and to make health care and dialysis further ecological and beyond natural. Amongst these shareholders else stakeholders are manufacturing-builders of dialysis paraphernalia, i.e., the apparatus-equipment and H₂O distillation and purification/refinement systems. Dialysis equipment and consumables, organized through care processes needed to be developed and enhanced to shrink waste generation, augment-recyclability, improve water-cleansing and distillation efficacy, productivity, and H₂O usage. Hence, scientific engineering and medical communities together with collaborative and mutual endeavors would thus ought to concrete the way and flag the system to facilitate providing eco-friendly and organic dialysis to promote to ecologically viable healthcare. This review study investigated the innovative hemodialysis paraphernalia for new biodegradable ecological ecofriendly recyclable environmental green and sustainable dialysis.

Keywords: Dialysis, Haemodialysis, Dialyzer, Diallytic system, Garbage Waste, eco-friendly, ecological, paraphernalia, equipment, machine, state of art equipment, H₂O, CO₂.

Introduction

Haemodialysis is a procedural-therapy and therapeutic-process where a dialysis-machine and a special-filter termed as an artificial, i.e., synthetic, and simulated kidney, (or a dialyzer, or dialyzing-machine, i.e., dialysis-machine) are used to cleanse the diseased blood. To acquire the blood in to the dialyzing-machine, the medical scientist/doctor requires to make an access, or foyer, into the containers, receptacles, vessels, etc. which can be performed with the minimal operation/surgical procedure, typically to the limb which is an arm of human. Haemodialysis, also implied haemodialysis, or simple but elegantly dialysis, is a process of pruning, cleansing, liberating, disinfecting, distilling refining, filtering decontaminating, and overall purifying the blood of a diseased candidate, i.e., the patient whose kidneys are not functioning properly. This kind of dialysis attains the extra corporeal elimination of waste products for instance creatinine and urea and free H₂O-water from the blood while kidneys are in a state of kidney failure. Haemodialysis is one of three renal auxiliary therapies and the other two being kidney-transplant and peritoneal dialysis. A different method for extra corporeal estrangement or separation of blood elements, blood-mechanisms for example plasma or cells is apheresis, pheresis and aphaeresis.

Haemodialysis can be an out-patient case, patent or in patient-therapy. Regular haemodialysis is frequently performed in a dialysis out-patient facility, either a purpose-built room in a hospital or-else a committed, impartial treatment center however it is seldom done at home

environment. The treatment of dialysis is initiated and managed by specialized staff made up of nurses and technicians in a clinic care setting; whereas at home, dialysis treatments can be initiated self plus managed or done mutually in conjunction with the support of a skilled and qualified assistant who is typically a domestic member-of-the family.¹

Health care is an indispensable column and is a rock in a benevolent culture and must be worthwhile and reachable to each and every-one. Simultaneously, its resource utilization, that are including energy and water, and raw-materials, natural-resources, have a significant eco-friendly environmental impact which may possibly have adverse-impacts additionally on human strength, well-being, health, and a habitually unnoticed characteristic.¹ The global depletion and utilization of resources from the goliath of terracotta or clay on a global level exceeds previously and by now by today the earth's clay's bio capacity by a factor of 1.6, as demonstrated and exemplified in the clay's/earth's overshoot day, which was August 22 in the year 2020.² It is of rising to moderate source utilization to post pone the earth overshoot day to enhance eco-friendly sustainability over-all in most cases, and in health care.²

The torque's force-momentum, strength and material intake utilization ultimately cause emissions of greenhouse gas including carbon dioxide (CO₂) in humans. The United Nations have specified the Paris Agreement to limit global warming, this to be attained amongst others by cutting-lowering the green-house gases emission's significantly.³

Amongst three and over ten percent % of a country's CO₂ emissions derive from the health care scientific industrial medical sectors and segments, with a per capita fossil fuels carbon foot-prints (as per 2014 statistics) of in median be an average of 0.58 tCO₂, fluctuating from 0.07 tCO₂ in India to 1.52 tCO₂ in the United States of America (USA).⁴

The manufacturing industries of the dialysis-sectors is one of the sources utilizing fields in conjunction with greater than higher ranking health care standard and median values of carbon fossil fuel foot-prints. A large spread of values has been determined for haemo dialysis (HD) for instance, 4tCO₂ equivalents(Eq)/diseased-subject - the patient and twelve-months in the great Brattain's united kingdom center,⁵ 9.99 tCO₂ equivalents computed for an new England south of Wales Australian center,⁶ and also for peritoneal dialysis. 1.5 tCO₂ Eq/patient 12 months, as projected in a study from Chinese-region.⁷ Variations may possibly and might be in segment be ascribable and attributable to distinct expectations, hypotheses, and presumptions parameters which are incorporated and integrated in the computation, form of strength and energy-sources, and followed by other parameters.

The haemo 'dialysis' therapy itself provides along with a broad range of elements and mechanisms to this source utilization which are including consumables used for every therapy for example the "dialyzer"/dialyzing-machine, blood-lines, spikes (the needles), syringes (hypodermic nozzles, rarely staggered and bared), distillates and suppositories. Besides, nontherapeutic factors such as patient travel-journey plus Positive (+Ve) ion (the cation) systems to generate dialytic/dialysis-fluid, plus (+) strength to warm up the 'dialysis-fluid' and also to operate the dialytic-machine and dialysis center add equal to the capable of dialysis connected source utilization which is adding equal to an extraordinary measure/quantity, reflecting the existing quantity of estimate of three-miopatientsuniversal being frequently managed by the 'haem—dialysis' treatment.⁸ The most diseased-subjects on kidney emergency therapies remain to increase as a result of the escalating percentage of individuals exposed in danger. In advanced well-established countries such as an aging elderly organization or growing predominant prevalence of diabetic outcomes in a rising prevalence of prolonged kidney diseases like infections disorders, syndromes, and viruses. Besides, other diseased subjects (patients) in well-established countries are being suggested renal transplantations, i.e. kidney transplantations, renal replacement therapy,⁹ therefore the whole eco-friendly ecological, environmental, natural, organic, biological and biodegradable impact and influence will remain to grow.

Renal-transplant (or kidney-transplant) is the appendage limb organ transplant of a kidney interested into and hooked on a diseased subject who is a patient together with end-stage kidney disease. The renal-transplant (i.e., kidney-transplant) is characteristically categorized as a deceased donor or a living donor transplantation dependent and varying too on the source of the donor-limbic system-organ.

The strategic approaches, what we call the plans, policies, stratagems are essential and mandatory to offset or stabilize the goals that are aims and objectives to diminish the source utilization and conservatory green-house gas-vapor emission, as well as to guarantee not conceded patient-subject care. Several proposals have been launched to address eco-friendly sustainability in medical health care sectors especially in common and specifically in kidney care,¹⁰ such as the green dialysis enterprise-schemes,¹¹ and/or the E.R.A-E.D.T.A initiative for greener health supervision.¹² Hard work, perseverance and doggedness with endeavors to deliver environmentally eco-friendly and justifiable and maintainable major-health and dialysis services are definitely varied and sundry, that are including infrastructural and bureaucratic measures in the center organization plus handling distribution to condense source and supply utilization,^{13,14} The requirement for procedures to successfully deal with the eco-friendly effect of dialysis supervision has been systematically formulated in a standing declaration by the country's Association of Hepatology, Nephrology, Urology, and science and worlds scientific society.¹⁵

To step in the direction of the goal of "green-dialysis" and also,¹⁶ also manufacturers and manufacturing industries of dialysis and dialyzing machines and state of art equipment's are challenged to provide and to launch the sophisticated machinery and are fortified, invigorated and reinvigorated to embrace incorporate ecological ecofriendly environmental sustainability (the ability to be maintained at a certain rate or level) as an element or component or as a module of a holistic approach/ method to study, design and build sophisticated state of art dialysis machines machinery and equipment which can meet a broad range of contemporary existing modern and ongoing necessities.

This study will focus will demonstrate on unambiguously and precisely these necessities for the dialysis care, deliberate and discourse the phases and stipulate illustrations and instances on how unconventional, progressive, forward-thinking machinery dialysis state of art equipment and dialysis care possibly will subsidize to added ecologically, globally, biologically, naturally, and environmentally and eco-friendly maintainable and justifiable health care, focusing on scientific medical health care creativities, ingenuities, enterprise's and paraphernalia machinery.

1. Diminishing the wastage via state of art equipment, techniques, frontier cutting edge technologies and innovative - pioneering hardcore systems machinery

Every dialysis session (entire duration of the phase) generates some kilo grams of garbage or wastage, the larger part made of synthetic, i.e., plastic. Subject to local garbage/waste managing systems and procedures, a significant proportion of this waste is classified as hazardous given that it has been in connection with gore, plasma i.e., blood, and which implies and entails unique and exceptional handling management and discarding the removal throwing away, which is typically more than costly

and expensive cumbersome than that of non-hazardous garbage wastage. A thorough quantifiable and computational analysis of the dialysis connected waste centered on quartet, i.e., 4 distinct but unique haemo dialysis systems stemmed in the middle of 1.5 plus 8kilo grammes of waste/treatment subject to the system and the draining and discharging procedures and policies of the extra corporeal systems following the treatment.¹⁷ Additional sources have evaluated an ordinary and normal median weight of solid waste generated per diseased-subject and treatment of 2.5kilogrammes,^{18,19} devoid of thinkingoutward plastic/cardboard packing and wrapping stuff. Presuming this quantity as an ordinary, an average (mean)number of 1 56 haemodialysis treatments per subject and per 12 months, i.e., per an year and an existing worldwide number of 3,160,000 hemodialytic diseased-patients in the year 2019⁸ which is corresponding to an approximated estimated and projected yearly global waste production of circa ~1.2million tones, of that a substantial percentage might be categorized as dangerous. Corresponding to the predicted rise by means of circa six-percent (6%) in diseased-subjects registering an haemo dialysis-programme,⁸ the overall-garbage/waste will rise as it should be, if no appropriate methods of garbage-wastage decrease are put into prune-into-rest.

Amongst the policies-strategies and procedures to diminish, reuse reprocess, recondition reutilize recycle, and reuse garbage/waste, the best economical and effective way would be to diminish, i.e. produce a smaller amount of garbage-waste since the inception and which has been accepted and established and sparked proposals at dialysis base-level principally and predominantly centered on regional and federal state run guidelines,¹⁸ however additionally machinery equipment-builders are termed upon to set-up upon on for taking up this task.

Summoned upon, the idea was brought by several indeed builders, companies, manufacturing industrialists machines developers, and innovators to design the state of art equipment machinery systems plus disposables that produce a smaller amount of wastage. An innovativesystem which is the namely “6008CA.R.E.-System(Fresenius Medical Care, Bad Homburg, Germany)”, was built and developed where the conservative predictable blood-line-system, and in case of On-Line Haemodiafiltration in addition a replacement-line is substituted or swapped by an all-in-one sole and unique cassette-system amalgamating and uniting all the apparatuses elements components and mechanisms of the extra-corporeal-circuit which reduces the entire throwaway weight and also aims generalization and simplification of operational-process of the hemodialytic system. All through the layout-model of the tape and use of brighter but simpler material (“polyo-lefines”), the bulk of the mass of the unused throwaway is circa~100g<less than that of blood-lines employed for5008CorDiax-HD- System (“Fresenius Medical Care, BadHomburg, Germany”) plus the Gambro Artis-Swedish-System (Gambro, Lund, Sweden). Following the treatment, the computed weight was298g for the taping-system employed together with

“6008-System,”487g for blood-lines and wastages/disposables employed in conjunction with “5008-System”, and also 514g for those applied through “GambroArtis-Swedish-System of the Sweden, correspondingly, all eliminating the “dialyzer”.²⁰ An additional and analogous parallelly investigation evaluated150g less-garbage/waste/treatment together with “6008-(System matched to the 5008-System)”.²¹ For a standard center achieving over ten-thousand10,000treatments/year, this is leading to a potential of clinical (hazardous) waste reduction by circa~1500–2000kilograms and consequently diminished price for garbage removal, that fluctuates corresponding to the provincial waste-garbage management or admin-systems.²⁰ These positive (+ Ve) impacts would proliferate in conjunction with ever-increasing long-suffering diseased subjects’ digit.

One more possibility in the haemo dialysis treatment to decrease the garbage-waste through the design-model is working OnLine training and cleaning in the setup period or session or stage of the phase of the treatment, On Line concoctions or infusions as essential throughout the treatments plus On Line re-infusions at the end of the phase in haemo-dialysis as well as On Line .H.D.F. as opposed to smearing saline on or after an extra plastic-bags,^{22,23} This shift in procedure may possibly protect the two garbage-waste issue and price-issue after the excluded saline plastic-bags.¹⁸ A different attempt to decrease garbage-wastages are incorporated training liquid-water/fluid drainage machines/appliances and devices preventing additional drainage plastic-bags as in the US based health-care corporation, i.e., ArtisPhysio-HD-System (Baxter Healthcare Corporation, Deerfield, Illinois, IL, United States of America).²⁴

Conclusion

In this part I study, we demonstrated the various issues of eco-friendly systems, innovative haemodialysis paraphernalia for new biodegradable ecological recyclable environmental green and for sustainable dialysis. In the next part, which is part II, we will be demonstrating a more sophisticated haemodialysis machinery and the analysis rigorously.

Source of Funding

None.

Conflict of Interest

None.

References

1. A. Gaulty, N Fleck, F. Kircelli, Int J of Urol Nephrol, Sept 2021.
2. M. Lenzen, A. Malik, M. Li, J. Fry, H. Weisz, P.P. Pichler, L.S.M. Chaves, A. Capon, D. Pencheon Earth-Overshoot-Day.https://www.overshootday.org/?_hstc=104736159.a2725f86fb6c55c1edf8818a0193042e.1599770904667.1&_hssc=104736159.1.1599770904668&_hsfp=2365868466. Nov 2020
3. Paris Agreement. United Nations, 2015.

4. Pichler PP, Jaccard IS, Weisz U, Weisz H, International comparison of health care carbon footprints. *Environ Res Lett* 2019;14(1):64-74.
5. Connor A., Lillywhite R, Cooke M.W., The carbon foot- prints of home and in-center maintenance haemodialysis in the United Kingdom. *Hemodialysis Int.*;15(1):39–51,2011.
6. Lim A.E.K., Perkins A, Agar JWM, The carbon footprint of an Australian satellite haemodialysis unit. *Aust Health Rev*;37(3);:369-74,2013.
7. Chen M., Zhou R., Du C., Meng F., Wang Y., Wu L, Wang F., Xu Y, Yang X., The carbon footprints of home and in-center peritoneal dialysis in China. *Int Urol Nephrol*.49(2);:337–43,2017.
8. Fresenius Medical Care, E.S.R.D. patients in 2019—a global perspective, Vol. I, 2020.
9. Liyanage T., T. Ninomiya, et al., (2015) Worldwide access to treatment for end-stage kidney disease: a systematic review. *Lancet* 16(385):1975–82, 2015.
10. Center for Sustainable-Healthcare. <https://sustainablehealthcare.org.uk/>. Accessed, November, 2020
11. Green Dialysis Initiative. <https://www.greendialysis.org/>. Accessed July, 2020
12. Blankstij P.J., Arici M., Bruchfeld A., G. Capasso, D. Fliser, D. Fouque, D. Goumenos, M. Ketteler, J. Malyszko, Z. Massy, I. Rychlik, G. Spasovski, C. Zoccali, E.R.A.-E.D.T.A invests in transformation to greener health care. *Nephrol Dial Transpl* 33(6) :901–3, 2018.
13. Wieliczko M., Zawierucha J., Covic A., T. Prystacki, Mar W., Cinkowski, Malyszko J., Eco-dialysis: fashion or necessity. *Int Urol Nephrol* 52:519–523, 2020.
14. Bendine G., Autin F., Fabre B., Bardin O., Rabasco F., Cabanel J.M., Chazot C., Haemodialysis therapy and sustainable growth: a corporate experience in France. *Nephrol Dial Transpl*, 35(4), Pp:2154–60, 2020.
15. Piccoli G.B., Cupisti A., et al., Green nephrology and eco-dialysis: a position statement by the Italian Society of Nephrology. *J Nephrol* 33(3) :681–98, 2020.
16. Agar J.W.M., Green dialysis: the environmental challenges ahead. *Semin Dial* 28(2) :186–92, 2015.
17. Piccoli G.B., Nazha M., Ferraresi M., Vigotti F.N., Pereno A., Barbero S. (2015) Eco-dialysis: the financial and ecological costs of dialysis waste products: is a “cradle-to-cradle” model feasible for planet-friendly haemodialysis waste management? *Nephrol Dial Transpl* 30(6):1018–27, 2015.
18. Reduce M.F., reuse, recycle in the dialysis-unit. 2011, <https://networks.sustainablehealthcare.org.uk/networks/green-nephrology/reduce-reuse-recycle-dialysis-unit>. accessed 5 Feb, 2020.
19. Hoenich N.A., Levin R., Pearce C., Clinical waste generation from renal units: implications and solutions. *Semin Dial*. 18(5), 396–400, 2015. <https://doi.org/10.1111/j.1525-139X.2005.00078.x>

How to cite: Rama Raju V, Anji Reddy D, et al. Innovative haemodialysis paraphernalia for new biodegradable ecological ecofriendly recyclable environmental green and sustainable dialysis systems *IP Journal of Urology, Nephrology Hepatology Science*. 2021;4(3).84-87