

Rasaushadhis in the management of hemorrhoids

Vijaykumar S Kotrannavar

Dean and Professor, Post Graduate Studies and Research Center, Shri JGCHS Ayurvedic Medical College, Ghataprabha, Karnataka, India

*Corresponding Author: Vijaykumar S Kotrannavar

Email: kdrvijaykumar@yahoo.com

Abstract


Hemorrhoids are one of the most common conditions seen in ano-rectal OPD, caused by repeated straining while having a bowel movement, like in cases of constipation /diarrhea. Hemorrhoids often described as "varicose veins of the anus and rectum", hemorrhoids are enlarged, bulging blood vessels in and about the anus and lower rectum. In Ayurveda, it can be well correlated with Arsha, based on the marked similarities of the clinical features of these two disease entities. Because of inefficient medical management and high denying rate for surgical intervention, there is a need of an alternative treatment approach. As per Ayurveda, specific treatment protocol can be applied in the form of topical/systemic treatment, along with internal medication- Kashaushadhi, Rasaushadhis etc. Ayurvedic Alchemy has a great importance in Ayurvedic treatment. It mainly deals with minerals, animals and some herbal products for therapeutic as well preventive purpose. Amongst one such product is Rasaushadhi, having the qualities like quick action, tasteless, palatable, more therapeutic benefit, longer shelf life and less dosage is enough for therapeutic action. Enormous Rasaushadhis are mentioned in the management of Arsha, like Arsha kutara rasa, Chancha kuthara rasa, Cakrakhya rasa, Shila Gandhaka Vati, Nityodita rasa, Chandra prabha Gutika, Manadya Loha, Jati paladi vati, Astanga Rasa, Panchanana Vati, Rasa Gutika, Teekshnamukha Rasa etc. This paper was aimed to highlight the utility of single & compound formulations in the management of Hemorrhoids (Arsha). To know about properties of the Rasoushadhis & Bhaishajya yogas, their effective benefits in day-today practice.

Keywords: Haemorrhoid, Arsha, Rasoushadhis.

Introduction

The term 'Haemorrhoids' is popularly used for pathological varicosity of the haemorrhoidal veins due to increased pressure that may result from chronic constipation or diarrhoea, straining during defecation or pregnancy etc. Hemorrhoids often described as "varicose veins of the anus and rectum", hemorrhoids are enlarged, bulging blood vessels in and about the anus and lower rectum. Hemorrhoids are usually found in three main locations: left lateral, right anterior and right posterior portions. They lie beneath the epithelial lining of the anal canal and consist of direct arteriovenous communications, mainly between the terminal branches of the superior rectal and superior Hemorrhoidal arteries, and, to a lesser extent, between branches originating from the inferior and middle Hemorrhoidal arteries and the surrounding connective tissue.¹

The prevalence of Hemorrhoids is 50-85% of people around the world and in India 75% of the population (The prevalence of hemorrhoids in India according to recent surveys is around 40 million), affecting as much as half the population by the age of 60.



Aims and Objectives

1. To highlight one of the burning issue of Ano-rectal problem.
2. To analyze the probable mode of action of Rasoushadhis in management of Haemorrhoids scientifically.

Cause:²

The exact causes of symptomatic hemorrhoids are unknown. A number of factors are believed to play important role including;


1. Increased intra-abdominal pressure (prolonged straining, an intra-abdominal mass, or pregnancy)
2. Lack of exercise
3. Irregular bowel habits (constipation or diarrhea)
4. Nutritional factor (a low-fiber diet)
5. Genetics, absence of valves within the hemorrhoidal veins,
6. Aging.
7. Other factors that are believed to increase the risk include Obesity, Prolonged sitting, Chronic cough, Pelvic floor dysfunction
8. During pregnancy, pressure from the fetus on the abdomen and hormonal changes cause the hemorrhoidal vessels to enlarge. Delivery also leads to increased intra-abdominal pressures.

Classification

Hemorrhoids can be classified according to their location and degree of prolapse. Internal hemorrhoids are located above the dentate line and covered by columnar epithelium. On the other hand, external hemorrhoids, are located below the dentate line and covered with squamous epithelium.

Mixed hemorrhoids are known as “interno-external” hemorrhoids and are located both above and below the dentate line.³

Internal hemorrhoids are further graded according to Goligher’s classification which depends on the degree of prolapse into: (1) Grade I hemorrhoids: Anal cushions bleed without prolapse; (2) Grade II hemorrhoids: Anal cushions prolapse on straining but reduce spontaneously; (3) Grade III hemorrhoids: Anal cushions prolapse on straining or exertion and require manual reduction; and (4) Grade IV hemorrhoids: The prolapse is irreducible and remains out all the time.⁴



In Ayurvedic classics it can be correlated with Arsha as maximum concepts are similar to each other. Arsha is derived from “Ris” Dhatu that which damages the normal proceeding or the activities of body like enemy, in classics it has been explained that this disease kills the afflicted like an enemy, hence it is coined as Arsha. The disease is initiated with Agnimandya (Improper digestion) due to improper food habits and lifestyles. However, haemorrhoids can re-occur even after proper management hence it is mentioned as one among Ashtamahagada.⁵

Treatment of Haemorrhoid (Arsha):⁶

In modern medical science, many procedures are described for management of haemorrhoids, like Conservative treatment (Oral medications, Topical treatment), rubber band ligation (RBL), sclerotherapy, infrared coagulation, radiofrequency coagulation, bipolar diathermy, direct-current electrotherapy, cryosurgery and laser therapy, of which haemorrhoidectomy is commonly preferred by surgeons, but after sometime of excision there is great possibility of reappearance of the disease.⁷ But in Ayurveda fourfold management of Arsha has been indicated eg. Bheshaja, Kshar Karma, Agnikarma and Shastra Karma according to chronicity and presentation of the disease.⁸

However, the basic management principle for every disease in Ayurveda is to avoid the causative factor, which helps either in breaking etiopathogenesis at basic level of the disease.

Ayurvedic Management

Nidana (Causative factors)

Aharaja Nidana: The dravya like guru, madhura, sheeta, abhishyandi and vidahi, ahara like masha, rukshamamsa, ikshu rasa, oil cakes, germinated corns & pulses, freshly harvested corns & cereals (Navannaha) makes shithilata in mamsa dhatu. All these are non-fiber diet which causes constipation which makes protrusion of pile mass.

Viharaja Nidana: Ashya sukha, Diwa swapna, Aavyayama, Aavyavayi is reputed kaphakara bhavas. But vegavarodha here should be taken mala vegadharana which is the mulakarana of vata pratilomana, utkata asana is the one which create extra, intra abnormal pressure, Ativirechana leads to hypovalmic state in which loss of ions having an ability to create flaccidity in the muscles so evident in gudavalayas too.

Literature also provides a vishesha nidana where in sahaja arsha is one such disorder hereditary transmitted to offspring. In ayurveda considered as beeja doshaja of matruja & pitruja bhavas. Sushruta in particular as given a separate nidana which is the sinful act called papa karma lead in the past life; for this we do not have any reference in modern science.⁹

Samprapti (Pathology)

Due to nidana sevana the vatadi dosha gets vitiated inturn leads to Agnimandya that further hampers the functions of Apāna Vāyu. Normally, Apana Vayu contributes to evacuation of bowel but vitiated Apana Vayu leads to collection of faeces in gudavali, and eventually vitiates the other vayus, doshas, and twak, rakta, mamsa, medas giving rise to mamsankura in guda pradesha.^{10,11}

Samanya Chikitsa Sutra of ARSHA

Acharya Sushruta has given a unique order in the management of Arsha.

1. Bheshaj Chikitsa (Medical management)
2. Kshara chikitsa (Alkaline management)
3. Agni chikitsa (Thermal cauterization)
4. Shastra chikitsa (Surgical management)

Treatment principles includes three chief clinical effect Agni Deepana, Vatanuloman, Raktasthambha

Introduction of Rasoushadhis

Ayurvedic Alchemy has a great importance in Ayurvedic treatment. It mainly deals with minerals, metals, animals and some herbal products for therapeutic as well preventive purpose.

Rasaushadhi are having the qualities like quick action, tasteless, palatable, more therapeutic benefit, longer shelf life and less dosage is enough for therapeutic action.

Enormous Rasaushadhis are mentioned in the management of Haemorrhoids (Arsha), like Arsha kutara rasa, Chancha kuthara rasa, Cakrakhya rasa, Shila Gandhaka Vati, Nityodita rasa, Chandra prabha Gutika, Manadya Loha, Jati paladi vati, Astanga Rasa, Panchanana Vati, Rasa Gutika, Teekshnamukha Rasa etc.

Some important Rasaushadhis used in Haemorrhoids (Arsha)

Single Formulations

1. Tamra bhasma, Tankana - having yoga vahi, lekshana, karshana, antimicrobial, anti inflammatory properties help to dry and reduce the pile mass in treating Arshas.
2. Abhraka bhasma poses tissue restoration, regulates dhatu pariposhana, hence can be useful in vatakaphaj arsha and jirna raktarsha for better improvement.
3. Kasisa bhasma, Loha bhasma, Trunakanta, Yashada bhasma, Tankana etc are rakta stambaka, loha increases the rakta dhatu in body, tankana has healing property.

Compound Formulations

1. **Arsha kutara rasa:** It improves liver functions, easing constipation, shrinking the pile mass & reducing local swelling & inflammation.

2. **Kankayana Gutika**

Medicinal Properties: Anti-hemorrhoid - Surana kanda, Anti-constipation - Hareetaki, Appetizer - Jeeraka, Surana kanda, Digestive - Pippali, Mareecha, Anti-spasmodic - Jeeraka, Carminative - Hareetaki, Haematinic (increases hemoglobin levels) - Guda

Action: It is a best alternative medicine for non-bleeding piles. It reduces the size of the haemorrhoidal mass and relieves constipation. It improves appetite and digestion. It reduces Kapha Dosha, pacifies Vata Dosha, and increases Pitta Dosha.

Therefore, it is the best medicine for itching, discomfort, constipation, white coating on tongue, loss of appetite, and poor digestive capacity.

It also improves liver functions and increases the flow of bile, which helps to relieve constipation too.

Contra indication: bleeding piles (hot potency due to the presence of Shuddha Bhallataka). In bleeding piles, it increases bleeding and worsen the symptoms.

Nityodita rasa: Effective & potent in vatakaphaj arsha and jirna raktarsha.

Abhraka bhasma poses tissue restoration, regulates dhatu pariposhana, hence can be useful in vatakaphaj arsha and jirna raktarsha for better improvement.

In jirna raktarsha atrophy, degeneration of muscles and nerves at anal region causes painful condition, where loha bhasma gives relief from such condition.

Main property of tamra bhasma is lekshana, hence useful in jirna rakta rsha.

Vatsanabha possesses the properties like jwara shamaka, swedala hence can be used in kaphanubandhi arsha.

Bhallataka mainly acts in vatakaphaj arsha and used in kaphaj agnimandya janya arsha.

Suranakanda is best dravya in arsha. Because of that these were the ingredients taken for preparation of Nityodita rasa.

Chandra prabha Gutika: It is vatanulomaka, vibhandahara, potent anti-inflammatory Ayurvedic drug.

Arshoghna vati, Cakrakhya rasa: Arsha Ekadoshaja, Dwee and sarva doshaja.

Manadya Loha: Agni deepana, Pachana, Vatanulomana, raktavardhaka

Kasisadya Taila

1. There is reduction in size of haemorrhoids by the local application of kasisaditaila due to its Lekshana property & corrosive effect on the wall of affected veins by acidic nature (ph - 3.7).
2. Pain and bleeding may be reduced due to decreased pressure of stool on veins and sphincters by soothing effect of kasisaditaila.
3. Ushna, tikshana, and snigdha guna of kasisaditaila may correct the vatadusti and regulate the function of apanavayu which breaks samprapti and cure the disease arsha.
4. Chancha kuthara rasa: Agnivardhaka, Malabhedaka
5. Bol bhaddha rasa, Shila Gandhaka Vati & Jatipaladi vati: Anulomaka, Agnibalavardhaka.
6. Rasa Gutika, Panchanana Vati, Teekshnamukha Rasa : Arsha.
7. Chakreswara Rasa: Vibhanda, Arsha.

Probable mode of action of Rasoushadhis

1. Tamra, Tankana etc having yoga vahi, lekshana, karshana, antimicrobial, anti inflammatory properties help to dry and reduce the pile mass in treating Arshas.
2. Hence yogas like Arsha Kuthara rasa, Arshoghna vati, Panchanana vati, Kankayana vati, Abhayarishtha, Triphala guggulu, Kutajaleha etc can be used in shuska arshas (non bleeding piles).
3. In Raktarsha, pitta and rakta are dominated, so sheeta veerya and raktastambana properties help in this condition.
4. Kasisa, Loha bhasma, Trunakanta, Yashada bhasma, Tankana etc are rakta stambaka, loha increases the rakta dhatu in body, tankana has healing property.
5. Ingredients like Nagkeshara, Chandana, Lodhra, Ushira, Nimba, Mahanimba etc having Kashaya rasa and Sheeta virya are useful in rakta stambana when used with Rasoushadhis.
6. Hence yogas like Bol bhaddha rasa, Nityodita rasa, Jatiphaladi rasa, Samangadi churna, Swalpa Surana Modaka, Bhallatakadi Modaka, Divya Arsha Kalpa etc can be used in Raktaja arshas (Bleeding piles).
7. Hence Bhesaja chikitsa (Rasoushadhis) play a vital role in the treatment of Arsha.

Conclusion

All these Rasaushadhis (Herbomineral preparations) are used in the management of Arsha (Haemorrhoids) on the following principles of Ayurveda. All these are told by an Apatha, Samanya vishesha siddanta, Karya karana siddantha, Panchabhoutika siddantha, Samprapti of the disease. Yukti of a Physician.

Ayurveda treatment for Haemorrhoids (Arsha) depends on Yukti (logic) of Bhishak. It has been seen in the practice that compound preparations have upper hand in treatment than single drug formulation. Rasaushadhis are found more effective if classical considerations like nidana, dosha,

dushya, adhistana, srotasa [site, mode of onset] etc are made properly.

Source of funding

None.

Conflict of interest

None.

References

- Johanson JF, Sonnenberg A. The prevalence of hemorrhoids and chronic constipation. An epidemiologic study. *Gastroenterol* 1990;99:1856-7.
- Smith LE. Hemorrhoids. In: Fazio V, editor. *Current Therapy in Colon and Rectal Surgery*. St. Louis, MO: Mosby; 2004; 11-18.
- Hulme - Moir M, Bartolo DC. Hemorrhoids. *Gastroenterol Clin North Am* 2001;30:183-97. [10.1016 / S0889-8553(05)70173-4]
- Salvati EP. Nonoperative management of hemorrhoids: evolution of the office management of hemorrhoids. *Dis Colon Rectum* 1999;42:989-93. DOI: 10.1007 / BF0 - 2236687]
- Sushruta, Sushruta Samhita, part-I, Ayurveda Tatwa Sandeepika Hindi Commentary, Edited by Kaviraj Ambika Duttashastri, Chaukhamba Sanskrit Sansthana, Varanasi, Edition reprint-2010, Sutrasthana Adhayaya 33/4.
- Shanmugam V, Thaha MA, Rabindranath KS, Campbell KL, Steele RJ, Loudon MA. Systematic review of randomized trials comparing rubber band ligation with excisional haemorrhoidectomy. *Br J Surg* 2005;92:1481-7. DOI: 10.1002/bjs.5185]
- Salvati EP. Non operative management of hemorrhoids: evolution of the office management of hemorrhoids. *Dis Colon Rectum* 1999;42:989-93. DOI:10.007 / BF0 - 2236687].
- Sushruta, Sushruta Samhita, part-I, Ayurveda Tatwa Sandeepika Hindi Commentary, Edited by Kaviraj Ambika Duttashastri, Chaukhamba Sanskrit Sansthana, Varanasi, Edition reprint - 2010, Chikitsa sthana Adhayaya 6/3.
- Bhisagacharya HP, editor. *Astangahrdayam* (with the commentaries (sarvanga sundara) of Arunadatta and (ayurveda rasayana) of hemadri. Arsha nidana. 9th edn, Varanasi: Chaukhamba orientalia, 2002: (chikitsa sthana,): 643-655 p.p.
- Shastri B S, editor. *Yogaratanakara* (with Vidyotini Hindi commentary) of Shri Shastri L. Arsha rogadhikara. 7th edn., Varanasi: Chaukhamba Sanskrit Sansthan, 1999:294-309.
- Upadhyaya Y, editor *Midhavanidana* (with Madhu kosha commentary by Shri Vijayarakshita and Shri Kanthadatta hindi commentary by Shri Sudarshana shastri) of Madhavakara. Arsha nidana. 28th edn. Varanasi: Chaukhamba Sanskrit Sansthan, 1999: (purvardha): 174-97. p.p.

How to cite this article: Kotrannavar VS. Rasaushadhis in the management of hemorrhoids. *J Prev Med Holistic Health* 2019;5(2):77-80.